



“Redefining comfort one seat at a time”

AF01010006 Aerofoam's Graphite Comfort Series

AF01010006 is the firmest ILD foam in our Graphite Comfort Series. AF01010006 is a polyurethane-based, flame-retardant foam designed and engineered at the molecular level to deliver unprecedented comfort in commercial & general aviation.

TYPICAL USES:

- Bottom Cushion Support Layer
- Bottom Cushion Bolsters
- First & Business Class Armrests & Ottomans
- Business & First Class Furniture Padding

PROPERTIES	ISO Standard	ASTM Standard	Imperial	Metric
Density	ISO 845	ASTM D3574	4.7 - 5.9 lbs/ft ³	76 - 94 kg/m ³
Hardness (IFD/ILD 40%)	ISO 2439:2008	ASTM D3574	79 lbs - 112 lbs	350-500 N
Tear Strength	ISO 8067:1995	ASTM D3574	1.0 lbs/in	180 N/m
Tensile Strength	ISO 7214:1998	ASTM D3574	25 PSI	172 kPa
Elongation	ISO 7214:1998	ASTM D3574	57 (%)	
Resilience		ASTM D3574	47 (%)	
Dynamic Fatigue				
Hardness loss at 40%			25 (%)	
Thickness loss at 40%	ISO 3385:2014		4 (%)	
Static Fatigue				
Hardness loss at 40%			25 (%)	
Thickness loss at 40%	ISO 3385:2014		4 (%)	

FLAMMABILITY	Standard	Results
12 Second Vertical Burn	CFR/CS 25.853 app F, part I (a) (1) (ii)	Pass
Seat Oil Burn	CFR/CS 25.853 app F, part II	Pass(*)
Smoke	14 CFR/JAR/CS Part 25 app F & ABD 0031	Pass
Toxicity	ABD 0031 (Issue G) & AITM 3-0005 (Issue 2)	Pass

COLOR

Blue

(*) When used in combination with specific textile covers and/or fire blocking textiles